

proximity with the skull of the animal when fired. Firearms must be maintained in good repair. For purposes of protecting employees, inspectors and others, it is desirable that all firearms be equipped with safety devices to prevent injuries from accidental discharge. Aiming and discharging of firearms should be directed away from operating areas.

(iii) The provisions contained in § 313.15(b)(1)(iii) with respect to the stunning area also apply to the shooting area.

(iv) The shooting operation is an exacting procedure and requires a well-trained and experienced operator. He must be able to accurately direct the projectile to produce immediate unconsciousness. He must use the correct caliber firearm, powder charge and type of ammunition to produce the desired results.

(2) *Special requirements.* Choice of firearms and ammunition with respect to caliber and choice of powder charge required to produce immediate unconsciousness of the animal may vary depending on age and sex of the animal. In the case of bulls, rams, and boars, small bore firearms may be used provided they are able to produce immediate unconsciousness of the animals. Small bore firearms are usually effective for stunning other cattle, sheep, swine, and goats, and calves, horses, and mules.

§ 313.30 Electrical; stunning or slaughtering with electric current.

The slaughtering of swine, sheep, calves, cattle, and goats with the use of electric current and the handling in connection therewith, in compliance with the provisions contained in this section, are hereby designated and approved as humane methods of slaughtering and handling of such animals under the Act.

(a) *Administration of electric current, required effect; handling.* (1) The electric current shall be administered so as to produce, at a minimum, surgical anesthesia, i.e., a state where the animal feels no painful sensation. The animals shall be either stunned or killed before they are shackled, hoisted, thrown, cast, or cut. They shall be exposed to the electric current in a way that will

accomplish the desired result quickly and effectively, with a minimum of excitement and discomfort.

(2) The driving or conveying of the animals to the place of application of electric current shall be done with a minimum of excitement and discomfort to the animals. Delivery of calm animals to the place of application is essential to ensure rapid and effective insensibility. Among other things, this requires that, in driving animals to the place of application, electrical equipment be used as little as possible and with the lowest effective voltage.

(3) The quality and location of the electrical shock shall be such as to produce immediate insensibility to pain in the exposed animal.

(4) The stunned animal shall remain in a state of surgical anesthesia through shackling, sticking, and bleeding.

(b) *Facilities and procedures; operator—*

(1) *General requirements for operator.* It is necessary that the operator of electric current application equipment be skilled, attentive, and aware of his or her responsibility.

(2) *Special requirements for electric current application equipment.* The ability of electric current equipment to perform with maximum efficiency is dependent on its proper design and efficient mechanical operation. Pathways, compartments, current applicators, and all other equipment used must be designed to properly accommodate the species of animals being anesthetized. Animals shall be free from pain-producing restraining devices. Injury of animals must be prevented by the elimination of sharp projections or exposed wheels or gears. There shall be no unnecessary holes, spaces or openings where feet or legs of animals may be injured. Impellers or other devices designed to mechanically move or drive animals or otherwise keep them in motion or compartmentalized shall be constructed of flexible or padded material. Power activated gates designed for constant flow of animals shall be so fabricated that they will not cause injury. All equipment used to apply and control the electrical current shall be maintained in good repair, and all indicators, instruments,

and measuring devices shall be available for inspection by Program inspectors during the operation and at other times.

(3) *Electric current.* Each animal shall be given a sufficient application of electric current to ensure surgical anesthesia throughout the bleeding operation. Suitable timing, voltage and current control devices shall be used to ensure that each animal receives the necessary electrical charge to produce immediate unconsciousness. The current shall be applied so as to avoid the production of hemorrhages or other tissue changes which could interfere with inspection procedures.

[44 FR 68813, Nov. 30, 1979, as amended at 50 FR 25202, June 18, 1985]

§ 313.50 Tagging of equipment, alleyways, pens, or compartments to prevent inhumane slaughter or handling in connection with slaughter.

When an inspector observes an incident of inhumane slaughter or handling in connection with slaughter, he/she shall inform the establishment operator of the incident and request that the operator take the necessary steps to prevent a recurrence. If the establishment operator fails to take such action or fails to promptly provide the inspector with satisfactory assurances that such action will be taken, the inspector shall follow the procedures specified in paragraph (a), (b), or (c) of this section, as appropriate.

(a) If the cause of inhumane treatment is the result of facility deficiencies, disrepair, or equipment breakdown, the inspector shall attach a "U.S. Rejected" tag thereto. No equipment, alleyway, pen or compartment so tagged shall be used until made acceptable to the inspector. The tag shall not be removed by anyone other than an inspector. All livestock slaughtered prior to such tagging may be dressed, processed, or prepared under inspection.

(b) If the cause of inhumane treatment is the result of establishment employee actions in the handling or moving of livestock, the inspector shall attach a "U.S. Rejected" tag to the alleyways leading to the stunning area. After the tagging of the alleyway, no more livestock shall be moved to the

stunning area until the inspector receives satisfactory assurances from the establishment operator that there will not be a recurrence. The tag shall not be removed by anyone other than an inspector. All livestock slaughtered prior to the tagging may be dressed, processed, or prepared under inspection.

(c) If the cause of inhumane treatment is the result of improper stunning, the inspector shall attach a "U.S. Rejected" tag to the stunning area. Stunning procedures shall not be resumed until the inspector receives satisfactory assurances from the establishment operator that there will not be a recurrence. The tag shall not be removed by anyone other than an inspector. All livestock slaughtered prior to such tagging may be dressed, processed, or prepared under inspection.

§ 313.90 [Reserved]

PART 314—HANDLING AND DISPOSAL OF CONDEMNED OR OTHER INEDIBLE PRODUCTS AT OFFICIAL ESTABLISHMENTS

Sec.

- 314.1 Disposition of condemned products at official establishments having tanking facilities; sealing of tanks.
- 314.2 Tanking and other facilities for inedible products to be separate from edible product facilities.
- 314.3 Disposition of condemned products at official establishments having no tanking facilities.
- 314.4 Suppression of odors in preparing inedible products.
- 314.5 Inedible rendered fats prepared at official establishments.
- 314.6 Inedible fats from outside official establishments.
- 314.7 Carcasses of livestock condemned on ante-mortem inspection not to pass through edible product areas.
- 314.8 Dead animal carcasses.
- 314.9 Specimens for educational, research, and other nonfood purposes; permits for, required.
- 314.10 Livers condemned because of parasitic infestation and for other causes; conditions for disposal for purposes other than human food.
- 314.11 Handling of certain condemned products for purposes other than human food.

AUTHORITY: 21 U.S.C. 601-695; 7 CFR 2.17, 2.55.